



634-35430 MEDIUM YELLOW

PRODUCT 634-35430 IS A CONCENTRATED DISPERSION OF A MONOARYLIDE YELLOW PIGMENT IN A SELECT LONG-OIL ALKYD RESIN IN LOW-ODOR MINERAL SPIRITS. THIS COMBINATION IS BROADLY COMPATIBLE AND FINDS USE IN THESE VEHICLES:

- OLEORESINOUS VARNISH
- LONG-OIL ALKYD
- MEDIUM-OIL ALKYD
- SHORT-OIL ALKYD
- STYRENATED ALKYD
- VINYL TOLUENATED ALKYD
- CHAIN STOPPED ALKYD
- SILICONE ALKYD
- PHENOLIC MODIFIED ALKYD
- URETHANE MODIFIED ALKYD
- EPOXY ESTERS
- NITROCELLULOSE

● = PRIMARY USE ○ = SECONDARY USE

THIS PIGMENT IS THE LARGE-CRYSTAL, OPAQUE FORM OF PIGMENT YELLOW 74. ITS HIGH CHROMA AND HIGH HIDING POWER MAKE THIS PIGMENT A WORKHORSE FOR MANY APPLICATIONS. ITS LIMITED RESISTANCE TO HEAT AND SOLVENTS PREVENTS ITS USE IN BAKING FINISHES BUT FOR A VARIETY OF AIR DRY FINISHES THIS PIGMENT OFFERS AN EXCELLENT BALANCE OF COST VERSUS PERFORMANCE.

LIGHT RESISTANCE:

FULL SHADE VG - Exc
TINT GOOD - VG

SOLVENT RESISTANCE:

MINERAL SPIRITS GOOD
TOLUENE FAIR
LACQUER FAIR

PRODUCT CONSTANTS:

WEIGHT/GALLON 8.4 LBS.
PERCENT NVM 57.3%
PIGMENT YELLOW 74 35.0%
V.O.C./GALLON 3.6 LBS.

CHEMICAL RESISTANCE:

ACID VERY GOOD
ALKALI VERY GOOD

HEAT RESISTANCE: 280°F.

Date: 13 December 02