



## 634-39600 TiO<sub>2</sub> WHITE

PRODUCT 634-39600 IS A CONCENTRATED DISPERSION OF A RUTILE TITANIUM DIOXIDE PIGMENT IN A POSITIVE DRYING LONG-OIL ALKYD RESIN IN LOW-ODOR MINERAL SPIRITS. THIS COMBINATION IS BROADLY COMPATIBLE AND FINDS USE IN THESE VEHICLES:

- OLEORESINOUS VARNISH
- LONG-OIL ALKYD
- MEDIUM-OIL ALKYD
- SHORT-OIL ALKYD
- STYRENATED ALKYD
- VINYL TOLUENATED ALKYD
- CHAIN STOPPED ALKYD
- SILICONE ALKYD
- PHENOLIC MODIFIED ALKYD
- URETHANE MODIFIED ALKYD
- EPOXY ESTERS
- NITROCELLULOSE

● = PRIMARY USE      ○ = SECONDARY USE

THIS PIGMENT IS THE LARGE-CRYSTAL, OPAQUE FORM OF PIGMENT WHITE 6. AN UP-TO-DATE UNIVERSAL GRADE, THIS PIGMENT COMBINES EXCELLENT OPACITY AND HIGH TINT STRENGTH WITH VERY GOOD EXTERIOR DURABILITY.

CAREFULLY CONTROLLED FINENESS OF GRIND, COUPLED WITH COMPLETE DEFLOCCULATION PERMIT THE PRODUCTION OF PAINTS EXHIBITING HIGH HIDE, HIGH GLOSS AND EXCELLENT FILM SMOOTHNESS.

### LIGHT RESISTANCE:

FULL SHADE	EXCELLENT
TINT	EXCELLENT

### SOLVENT RESISTANCE:

MINERAL SPIRITS	EXCELLENT
TOLUENE	EXCELLENT
LACQUER	EXCELLENT

### PRODUCT CONSTANTS:

WEIGHT/GALLON	14.9 LBS.
PERCENT NVM	80.2%
PIGMENT WHITE 6	65.0%
V.O.C./GALLON	3.0 LBS.

### CHEMICAL RESISTANCE:

ACID	EXCELLENT
ALKALI	EXCELLENT

**HEAT RESISTANCE:** >390°F.

DATE: 23 DECEMBER 02